

DYNAMIC fireplace inserts WITH DOUBLE / TRIPLE GLAZING

DYNAMIC fireplace inserts with double and triple glazing are the ideal choice for low-energy houses. First-class materials in combination with sophisticated structural design offer the perfect heat source for long winter nights.

DYNAMIC fireplace inserts are well suited for low-energy houses thanks to their double and triple glazing. The glass in the doors includes a design print. Fireplace inserts are equipped with an EAI (external air intake) system and designed for accumulation as well as convection operation. The combustion chamber is lined with chamotte bricks and a hinged iron grate with an ash tray. Secondary air intake washes over the glass in the door to prevent the cumulation of deposits. Primary and secondary air intake is regulated by a single control element. A MAMMOTH side accumulation set and upper accumulation rings can be purchased separately for fireplace inserts, which can extend the period of heat radiation by more than 12 hours. The innovative DOUBLE SPIN flue gas system increases efficiency and reduces the environmental impact of the fireplace insert.

DYNAMIC 2G 66.50.13N



Prices on request at your seller order code: D2M 13N

triple glazing

optional shifting of hinges

maximum of 2 side accumulation sets











Technical parameters

Height 1091 mm Width 720 mm 400 mm Depth Door height 456 mm Door width 619 mm Weight 159 kg Regulated output 2,4-6,2 kW Smoke flue diameter 150-200 mm 200 mm Flue socket diameter External air intake diameter 150 mm Draught 12 Pa Efficiency 84,6 % Average wood consumption 1,3 kg/h

Α+

Accessories

ACCUMULATION SET of ROMOTOP MAMMOTH RINGS - 6 pcs (AKKUM KV 01B)

ADJUSTABLE LEGS - 190 mm

FRAME D2M RAM04N cover deep

FRAME D2M RAM06N cover standard

HANDLING SET

MAMMOTH accumulation ring

PIPE ADAPTOR 200/180 mm

REMOVABLE HANDLE

ROMOTOP CONVECTION EXCHANGER

ROMOTOP MAMMOTH ACCUMULATION EXCHANGER

ROMOTOP MAMMOTH ACCUMULATION SET for ROMOTOP convection exchanger

SIDE ROMOTOP MAMMOTH ACCUMULATION SET for fireplace inserts

Download

Declaration about qualities

EC declaration of conformity

Ecodesign (EU 2015/1185)

Energy label and product sheet

Energy label (EU 2015/1186)

General instructions

Installation instructions

Technical documentation

Technical sheet

Warranty sheet

Download our catalogue!