



## IMPRESSION 2g 42.60.01

**We are sorry, but this model has been sold out and cancelled from our product range.**

Please look at following alternative models:

- IMPRESSION 2g 55.60.01 - fireplace insert with double glazing
- IMPRESSION 2g 67.60.01 - fireplace insert with double glazing
- IMPRESSION 2g 80.60.01 - fireplace insert with double glazing

IMPRESSION fireplace inserts have unusually high glass windows, offering a luxurious view of the fire. Double glazing in the specially rigid profile of the door frame allows these fireplace inserts to be used for accumulation and convection operation. The combustion chamber is available in black or cream colour with an optional change for the furnace grate. The innovative DOUBLE SPIN flue gas system increases efficiency and reduces the environmental impact of the fireplace insert. Secondary air intake washes over the glass in the door to prevent the cumulation of deposits. Primary and secondary air intake is regulated by a single control element. Fireplace inserts are equipped with a EAI (external air intake) system, which can be easily connected using the AIRBOX rotating elbow. The flue gas exhaust can be connected from the side or the top. Side and top MAMMOTH accumulation sets can be purchased separately for fireplace inserts, which can extend the period of heat radiation by more than 12 hours.

order code: **I2E 01**

double glazing on the doors ensures heat comfort in low-energy houses

maximum of 3 side accumulation sets

the combustion chamber must be ordered separately!

## Technical parameters

Height	1316 mm
Width	598 mm
Depth	447 mm
Door height	556 mm
Door width	379 mm
Weight*	99 kg
Regulated output	3,5-9,1 kW
Smoke flue diameter	150-160 mm
Flue socket diameter	160 mm
External air intake diameter	125 mm
Axis height of rear outlet	1161 mm
Draught	12 Pa
Efficiency	80,1 %
Average wood consumption	2,0 kg/h

\*weight including black / cream combustion chamber

A

## Accessories

ADJUSTABLE LEGS - 190 mm

AIRBOX 02 IMPRESSION

GRATE SET (H3 ROST 01)

HANDLING SET

REMOVABLE HANDLE

SIDE ROMOTOP MAMMOTH ACCUMULATION SET for fireplace inserts (AKKUM KV 06)

TOP ROMOTOP MAMMOTH ACCUMULATION SET for fireplace inserts with a flue exhaust of 180 mm

IMPRESSION 2g 55.60.01 - fireplace insert with double glazing

IMPRESSION 2g 67.60.01 - fireplace insert with double glazing

IMPRESSION 2g 80.60.01 - fireplace insert with double glazing

## Alternative products

IMPRESSION 2g 55.60.01 - fireplace insert with double glazing

IMPRESSION 2g 67.60.01 - fireplace insert with double glazing

IMPRESSION 2g 80.60.01 - fireplace insert with double glazing

## Download

Declaration about qualities

EC declaration of conformity

Ecodesign (EU 2015/1185)

Energy label and product sheet

Energy label (EU 2015/1186)

[General instructions](#)  
[Installation instructions](#)  
[Technical documentation](#)  
[Technical sheet](#)  
[Warranty sheet](#)  
[Download our catalogue!](#)