

DYNAMIC fireplace inserts WITH DOUBLE / TRIPLE GLAZING, HOT-WATER EXCHANGER AND BACK STOKING

DYNAMIC hot-water fireplace inserts with double / triple glazing and back stoking will become a fully-fledged, central source of heating. Discover a new dimension of heating and get a perfect heating source that meets all your expectations.

DYNAMIC fireplace inserts are well suited for low-energy houses thanks to their double and triple glazing. The back stoking door allows you to comfortably add wood to the combustion chamber. The door frame is made of a special rigid rolled profile. The special patented design of the TRIPLE PASS hot-water exchanger will increase fireplace insert efficiency by up to 10%. The volume of the hot-water exchanger is 50 l. Fireplace inserts are equipped with an EAI (external air intake) system and designed for accumulation as well as convection operation. The combustion chamber is lined with chamotte bricks, the bottom is supported by insulation boards and a hinged iron grate with an ash tray. Secondary air intake washes over the glass in the door to prevent the cumulation of deposits. Primary and secondary air intake is regulated by a single control element. The insert also includes preparation for a door switch and reinforced insulation of the hot-water exchanger casing. Safety is ensured by an integrated cooling loop and the package also includes a cooling and air-escape valve.

DYNAMIC WB 2g 66.50.01P



Prices on request at your seller

order code: **DWB2M 01P**

triple glazing

optional shifting of hinges for both doors



Technical parameters

Height	1279 mm
Width	848 mm
Depth	538 mm
Door height	456 mm
Door width	619 mm
Weight	300 kg
Regulated output	6,0-15,6 kW
Regulated output of water exchanger	4,1-10,5 kW
Smoke flue diameter	180 mm
Flue socket diameter	180 mm
External air intake diameter	150 mm
Draught	11 Pa
Efficiency	86,2 %
Average wood consumption	3,2 kg/h
A+	

Accessories

ADJUSTABLE LEGS - 190 mm

FRAME DW2M RAM03 cover, deep

FRAME DW2M RAM04 cover, deep

FRAME DW2M RAM06 cover, standard

HANDLING SET

TECHNICAL FRAME (KV 025WBRAM01)

Download

Construction readiness

Construction readiness - heating sets

Declaration about qualities

EC declaration of conformity

Ecodesign (EU 2015/1185)

Energy label and product sheet

Energy label (EU 2015/1186)

Instruction manual

Technical documentation

Technical sheet

Warranty certificate

Download our catalogue!